

SNAKE MAXX POWDER



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product ide	ntifier	
Product name : Product code :	SNAKE MAXX POWDER NXSR1	
I.2. Relevant id	entified uses of the substance or mixture an	d uses advised against
.2.1. EPA Exemp	t (Food components) – Non-Pesticidal	
I.3. Details of t	he supplier of the safety data sheet	
38 Cawasji Mumbai - 4 Contact No	M PVT LTD Camer Building, Patel Street, Fort, 00001, India. :: +91 8779240420 in - www.zyax.in	
.4. Emergency	telephone number	
Emergency	number : +91 22 2757 3899	
ECTION 2: Hazard	s Identification	
.1. Health Effe	cts	
	NFPA Health Flammability Reactivity EFFECTS: Irritation to eyes, skin and throat vic DF ENTRY: Ingestion, eye and skin contact.	1 Slight hazard 0 0 1 dust exposure
KIN: May cause skir NHALATION: Harm	n irritation	vapors or dust may cause nausea, dizziness or drowsiness, y be aggravated by exposure to this material.
SECTION 3: Compo	osition/Information On Ingredients	
Components CAS No: Proprietary Formulat Specific Chemical Id		OSHA PEL Not Applicable, this product is mixture.
Common Name(s) Clay Cinnamon Powder (C		N/A N/A

Clove Oil (CAS # 8000-34-8)

Sulfur (CAS # 7704-34-9)

Cedar Oil (CAS # 68990-83-0)

N/A

N/A

N/A



SECTION 4: First Aid Measures

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

SKIN CONTACT: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes.

EYE CONTACT: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

INGESTION: SEEK EMERGENCY MEDICAL ATTENTION. If the victim is drowsy or unconscious, place on the left side with the head down. Do not give anything by mouth. If victim is conscious and alert, vomiting should be induced for ingestion of more than 2–4 tablespoons for an adult, preferably with syrup of ipecac under direction from a physician or poison center. If syrup of ipecac is not available, vomiting can be induced by gently placing two fingers in back of throat. If large amounts are ingested, treat for sulfur toxicity. If possible, do not leave victim unattended.

SECTION 5: Firefighting Measures

FIRE FIGHTING INSTRUCTIONS: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear.

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, or Water.

SECTION 6: Accidental Release Measures

PRECAUTIONS: Avoid contact with spilled material.

DISPOSAL: Sweep up spilled material and place in trash. May be buried in an approved landfill.

Section 7: Handling And Storage

STORAGE: Keep sealed. Store in a cool, dry place. Keep out of reach of children.

HANDLING PRECAUTIONS: Avoid contact with eyes, skin or clothing. Wash skin and clothing after handling. Do not apply directly to water.

CONTAINER DISPOSAL: Do not reuse empty container. Discard empty container in trash.

Section 8: Exposure Controls/Personal Protection

RESPIRATORY PROTECTION: Good ventilation. When applying Snake Out in confined spaces, provide ventilation or an exhaust system or use of a NIOSH-approved dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) with a prefilter approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-24C) or a NIOSH-approved respirator with any N, R, P or HE prefilter is recommended.

VENTILATION: Exhaust to ventilate.

The following personal protective equipment is recommended:

PROTECTIVE GLOVES: Some materials that are chemical-resistant to this product are barrier laminate; butyl, nitrile, neoprene and natural rubbers \geq 14 mils; polyethylene; polyvinyl chloride; and viton \geq 14 mils. If you want more options, follow the instructions for category C on an EPA chemical-resistance category selection chart.



EYE PROTECTION: Use safety glasses, goggles or face shield.

OTHER PROTECTIVE EQUIPMENT: Applicators, mixers and other handlers must wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and protective eyewear. It is recommended that a source of clean water be available in the work area for flushing eyes and washing skin.

SECTION 9: Physical And Chemical Properties		
Appearance: Gray granular solid		
Odor: Pleasant/Cinnamon		
Physical State	:	Solid
Melting Point	:	N/A
Specific Gravity	:	N/A
Percent Volatiles	:	N/A
Evaporation Rate	:	N/A
Viscosity	:	N/A
Flash Point	:	N/A, Non-Flammable
Boiling Point	:	N/A, Non-Flammable
Vapor Pressure	:	N/A
Solubility (H2O)	:	Soluble
pH	:	N/A
Density	:	35–40 lbs. cu. ft.

SECTION 10: Stability And Reactivity

STABILITY: Stable

CONDITIONS TO AVOID: Exposure to strong oxidizing agents.

INCOMPATIBILITY (MATERIALS TO AVOID): This material is incompatible with strong oxidizing agents.

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: carbon monoxide, carbon dioxide, sulfur compounds.

SECTION 11: Toxicological Information

Snake Out is of very low acute mammalian toxicity.

Acute oral LD_{50} – Not tested - assumed by calculation to be greater than 5000 mg/kg body weight. Acute dermal LD_{50} – Not tested - assumed greater than 2000 mg/kg body weight Acute inhalation LC_{50} – Not tested. Intentional misuse by deliberately concentrating and inhaling this material may be harmful or fatal.

None of the major constituents of this material have been identified as carcinogens or probable carcinogens by IARC or OSHA.



SECTION 12: Ecological Information

General: This material is a mixture of plant derived food oils with a sulfur and clay carrier. In the event of accidental environmental release, sweep or scoop up solid and wash away the remainder with water. All ingredients are broken down naturally in the environment.

Phytotoxicity: Sulfur, a component in Snake Out, can be phytotoxic in high concentration in susceptible plant species.

Algal Toxicity: None known

Invertebrate Toxicity: None known

Fish Toxicity: None known

SECTION 13: Disposal Considerations

WASTE DISPOSAL METHOD: Unopened containers may be returned to Nisus Corporation for reprocessing. Can be placed in trash or approved landfill.

SECTION 14: Transport Information

DOT Hazard Classification: IATA Regulated / Non Hazardous

SECTION 15: Regulatory Information

EPA Registration No.: N/A EPA Exempt					
Chemical Family: Food/plant derived oils, sulfur and inert carrier.					
Hazard Rating: NFPA	Health	1			
	Flammability	0			
	Reactivity	0			

Slight hazard

SECTION 16: Other Information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text